MAHARASHTRA AGRICULTURAL UNIVERSITIES EXAMINATION BOARD, TUNE SEMESTER END THEORY EXAMINATION

Semester	:	I (NEW)	D.Sc. 2	<u>vgr1. (1</u>	Academic Year : 2017-18
Course No.	:	AGH-111	Title -	1:	1. [20.7 10]
Credits	:	1 (1+0)	Agriculture Heritage		Agriculture Heritage
Day & Date	:		Time	 	Total Marks : 140

MODEL ANSWER
SECTION "A"

Q.1 Define Agriculture and explain in brief scope of Agriculture in India and Maharashtra.

Ans:

Agriculture is defined as an art, the science & the business of producing crops & livestock for economic purposes.

SCOPE OF AGRICULTURE IN INDIA AND MAHARASHTRA

India has basically been an agricultural country and it is likely to continue to be so for a long time to come unless some miracle happens at some stage. In spite of this the country has been unable to be assured of needed supplies of food grains and other agricultural products. Therefore the scope of agriculture is very vast in India and also in Maharashtra, as it is the most important enterprise in India economy (agriculture sector contribute 30 % GDP).

India is the only country in the world having all type of soils & climatic conditions suitable for growing variety of crops. If proper attention is being paid to exploit all the agricultural resources and technology developed in the field of agriculture, India will be at the top in the world.

India is exporter of fruits, ten, coffee, basmati rice and so many other agricultural commodities, which help for getting foreign exchange. Foreign exchange of worth Rs. 60 billion is earned accounting 25 % of countries total exchange earnings.

In Asian countries figures of 2002 indicated that India has largest area under rice, however production was highest in China due to less productivity (2915 kg/ha) of Indian rice than China (6266 kg/ha). India has the potential to become the number one rice producer in the world. It is expected to play a crucial role in rice production and technology & focus has to be on tapping the production potential in the North Eastern region. New high yielding varieties and area under hybrid rice should be extended beyond the frontiers of South India. In Maharashtra there is also scope for increasing rice productivity of 1751 kg/ha to around 3000 kg/ha as observed in potential areas of A.?., Punjab and Tamilnadu.

As well as potential of ethanol production from sorghum grains & jaggery production from juice of sweet sorghum have to be tapped.

Among the pulses 90 % of world's pigeon pea produced in India as well as acerage (1.02 thousand ha.) in Maharashtra is highest among all states but the productivity is still lower (757 kg/ha) compared to Uttar Pradesh (1142 kg/ha) this has to be increased through modern technologies.

Now-a-days agriculture includes all aspects of crop production (field crops, plantation and fruit crops), livestock farming, processing and preservation of agriculture, products such as food grains, fiber, vegetables, fruits and animal products, fisheries, forestry, apiculture, sericulture etc.

No doubt, we have achieved the goal of green revolution (for increasing production of wheat, sorghum & rice as major food crops, with introduction of Mexican production of wheat, sorghum & Rorlang is 1963-1970), yellow revolution (with varieties in India by Nariman E. Borlang is 1963-1970), white revolution (increasing milk launching of technology mission, on oilseeds in 1986), white revolution (increasing milk launching of technology mission on oilseeds in 1986).

production with breeding with exotic breeds & developing potential cross-bred cows) blue revolution (increasing fish production) and rainbow revolution ICAR given mono (for increasing production of horticultural crop through National Horticultural Mission in 2002-03). There are new challenges or problems faced by the farmers like water logging, salinity and micro-nutrient deficiency symptoms particularly zinc which cause khaira disease of rice, as well as new pest problem in sugarcane like wooly aphids. To overcome these problems, appropriate water management, fertilizer management and pest management through integrated approach are developed. Now a days it is necessary to evolve the varieties of field crops, vegetables, fruit crops etc. with quality and high yield potential, and resistant to pests and diseases with wider adaptability under different ecounits. An animal breeding for increasing milk and meat production is essential. It is also essential to initiate and strengthen the researches on cropping systems rather than individual crop to exploit fullest potential of natural resources.

Similarly, research on agro-forestry system suitable to different agro-ecological units for proper land use, environment protection / conservation and increasing agricultural production. Preparation of value added products (e.g. Baby corn which fetches higher price, use of safflower petals as a ayurvedic medicine) and processing and preservation techniques particularly for different agricultural products. Use of genetically modified plants by means of biotechnology for increasing agricultural production.

All these are the recent challenges in the field of agriculture. Therefore, continuous research and development in field of agriculture is non-ending and continuous process. In India State Agricultural Universities so also huge network of National Agricultural Research System is in operation under ICAR and is looking for research, education and extension activities. Similarly in Maharashtra, four Agricultural Universities, Department of Agriculture, ICAR funded KVK's and several Non-Government Organization (NGO's) like Pani Panchayat are engaged in education, research and transfer of technology as well as motivating farmers for awareness of modern technologies in the field of production per unit area without degradation of natural resources.

Q. 2 Enlist classification of crops into different groups and explain the classification of crops based on use or Agronomic classification.

Ans: Classification of crops into different groups on the basis of

1. Climate 2. Season 3. Life cycle 4. Source of Water

5. Root system 6. Economic importance 7. Use or Agronomic classification

8. Botanical or Morphological or Taxonomic classification.

On the basis of their uses the crops can be classified in the following twelve groups.

1. Cereal or Grain Crop: Crops grown for their edible starchy grains one-seeded fruits called caryopsis or monocot. They are adventitious rooted crops and belonging to the family Graminae e.g. rice, wheat maize, sorghum, pearl millet, oat, barley hill millets like finger millet (Ragi Nachani), fox tail millet (rala), proso millet (vari), little millet (sava), kodo millet (kodra) and Banti. Millets are small grain cereal crops. Plants are smaller than sorghum, bajra and maize. While sorghum and bajra, which grow tall and have large grains are called major millets. Sorghum is also called Great Millet and bajra – Pearl Millet. Minor Millets: Plants which are shorter than these (except rice, wheat) and whose grains are smaller than the grains of major millets are called minor millets.

2. Legume or Pulse Crop: They belong to the family leguminoaceae are called legume crops and edible legumes are called pulse crops. Seeds are dicot and on splitting they produce dal, which is rich in proteins. All pulses are legumes, but all legumes are not nulses. The legumes are large group of plants second to cereals. They are tap rooted crops

and fix atmospheric 'N' By 'N' fixing bacteria in the nodules found, generally, on the roots e.g. pigeon pea (Tur) or red gram or arhar, gram or chickpea, black gram (Udid), green gram (Mung), Kindey bean or moth bean (Mataki), cowpea, horse gram (Kulthi), lentil (Masur), Lathxrus (Lakh), Indian bean (wal), french bean, lima bean, double bean, broad bean etc. groundnut and soybean are used both as pulses and oilseeds.

Forage or Fodder Crops: This group mainly includes grasses such as gajaraj. marvel, guinea grass legumes like berseem and lucerne, cultivated crops like fodder sorghum, maize, bajra, cowpea etc. They are as used fodder, hay and silage purpose.

4. Root Crops: e.g. radish, carrot, sugar beet turnip etc.

5. Tuber Crops: The edible portion is not a root but a short thickened underground

6. Fiber Crop: Crops grown for getting fibre and making clothes, cordage and coarse fabrics are called fibre crop e.g. cotton, jute, sannhemp, deccan hemp or mesta (Ambadi), roselle (Tambadi Aambadi), agave, linseed (Flax), ramie etc.

7. Sugar Crops: These crops are mainly grown for sugar e.g. sugarcane and sugar beet are important sugar crops of world. Sugarcane provides 75% of world's sugar and the rest comes from sugar beet.

8. Oil Seeds or Oil Crop: Crop seeds are rich in fatty acids (oils) and are used for extraction of edible or non-edible oil e.g. groundnut (Peanut) sesamum, mustard, safflower niger, sunflower, soybean, linseed, castor etc.

9. Drug Crops: Crops, which are used for preparation of medicines or drugs e.g. tobacco, opium from plant Papaver sominiferum, Indian hemp (Bhang). Smoking, snuffing or chewing of dried, cured and fermented leaves, inflorescence, roots and other parts of certain plants provide stimulation, sedation, temporary relief of worries, pains etc

10. Spice Crops Or Spices and Condiments: These are the crops used in small quantities for flavoring, increasing palatability/ taste/ piquancy and even as preservative of culinary and food items e.g. turmeric, ginger, chilies, garlic, onion, coriander, cumin (Jire), black paper (Miri), clove, cinnamon etc.

11. Vegetable Crops: Vegetables are a district group of crops, the roots, stem, bulbs, corms, tubers, leaves or inflorescences or mature or ripe fruits are eaten either raw or cooked from eg. brinjal, tomato, cabbage, okra (Bhendi), leafy vegetables, cucumbers etc.

12. Green Manure Crops: Crops, which are, buried in to the soil for improving organic matter and fertility of the soil e.g. sannhemp, dhaincha, sesbania, glyricidia and pulse crops like cowpea and green gram.

Describe Indus Valley Civilization (Harappan Civilization) Q3

Ans:	Date	Main Phase	Mehrgarh Phases	Harappan Phases	Other phases	Era
	7000- 5500 BCE	Pre - Harappan	Mehrgarh I (aceramic Neolithic)			Early Food producing Era
	5500- 3300 BCE	Pre- Harappan /Early Harappan	Mehrgarh II - VI (aceramic Neolithic)	ann,		Regionalisation Era c.4000 – 2500/2300 BCE (Shaffer)
	3300- 2800 BCE	Early Harappan c. 3300- 2800 BCE		Harappan I (Ravi Phase : Hakra ware)		c. 5000-3200 BCE (Coningham & Young))

	2800- 2600 BCE	(Mughal) c. 5000- 2800 BCE	Mehrgarh VII	Harappan 2 (Kot Diji Phase :		1
		(Kenoyer)		Nausharo I)		Integration Era
	2600- 2450 BCE	Mature Harappan (Indus	ja N	Harappan 3A (Nausharo		
		Valley		II)		
	2450- 2200	Civilization)		Harappan 3B		
	BCE	4 - 1				
	2200-			Harappan		
	1900			3C		
	BCE	17.		17 1	Cemetery ,	Localisation
	1900-	Late		Harappan 4	Coloured	Era
	1700	Harappan			pottery	
	BCE			Harappan 5	polici	
	1700-			Harappan 5		
	BCE					
	1300-	Post			Painted Grey	Regionalisation
	600	Наттаарап			Ware (1200-	c. 1200-300
	BCE	Iron Agr			600BCE)Vedic	BCE(Kenoyer)
		India			period (c.	c. 1500-600
					1500-500	BCE .
					BCE)	(Coningham & Young)
Q.4	List out his	tory of ancient I	ndia.			Sec. 381 813
Ans:	✓ 2800	BCE: the Indus	valley civil	ization begins	to emerge	
	✓ 1700	BCE: the Indus	valley civil	ization vanishe	:S	
	✓ 1500	BCE; ARYAL	N TRIBES	BEING TO I	NFILTERATE D	NTO NORTHEN
	India	from central A	sia	*		Self-ext Card
	✓ 800	BCE: The use o	f iron and al	phabetic writing	ng begin to spread	d to northen India
	from	the Middle east			5 Em to opical	a to normen maia
				idhism and Isi	nism are founded	
	✓ 327	BCE: Alexande	r the broat	conquere the	Indua Vall	is leads to Kind
	52,	dragunta Mauri	is of Magha	de conquerir -	indus valley : ti	is leads to Kind
	Chan		of Magna	da conquering	the Indus valley	from Alexander
	Chan	rant suggester (204 DCE)			
	Chan the G	reat successor (304 BCE)			
7	Chan the G	reat successor (BCE: Chandragu	304 BCE)		xtends the Maury	an conquests into
	Chan the G ✓ 290 F	reat successor (BCE: Chandragu al India.	304 BCE) upta successo	or, Bindusara e		an conquests into
	Chan the G 290 E centra 269 E	reat successor (BCE: Chandragu al India. BCE: Asoka bec	304 BCE) upta successo omes the Ma	or, Bindusara e		
	Chan the G ✓ 290 E centra ✓ 269 E ✓ 251 E	reat successor (BCE: Chandragu al India. BCE: Asoka bec BCE: a mission	304 BCE) upta successo omes the Ma	or, Bindusara e		
	Chan the G 290 F centra 269 F 251 F island	reat successor (BCE: Chandragual India. BCE: Asoka beca BCE: a mission I of Sria Lanka.	304 BCE) upta successo omes the Ma led by Mal	or, Bindusara e turyan emperot ninda, Asoka's	r son. Introduces	Buddhism to the
	Chan the G 290 F centra 269 F 251 F island	reat successor (BCE: Chandragual India. BCE: Asoka beca BCE: a mission I of Sria Lanka.	304 BCE) upta successo omes the Ma led by Mal	or, Bindusara e turyan emperot ninda, Asoka's	r son. Introduces	Buddhism to the
). 5	Chan the G 290 E centra 269 E 251 E island 232 E Explain socie	BCE: Chandragual India. BCE: Asoka becase: a mission of Sria Lanka. BCE: Asoka diesects and Economics	omes the Males shortly after	or, Bindusara e auryan emperon ninda, Asoka's er the decline o	r son. Introduces of the Mauryan en	Buddhism to the
). 5 Ans:	Chan the G 290 F centra 269 F 251 F island 232 F Explain socie The yedic as	BCE: Chandragual India. BCE: Asoka becasce: a mission of Sria Lanka. BCE: Asoka diesety and Economics.	omes the Males shortly after y of ancient	or, Bindusara e auryan emperon ninda, Asoka's er the decline o	r son. Introduces	Buddhism to the

ancient India, and their establishing themselves as the dominant group, gave rise to the caste system. This divided Indian society into rigid layers, underpinned by religious rule. Outside the caste system altogether excluded from Aryan dominated society were the untouchables. Aryan society evolved into the more settled and more urban society of ancient India these caste divisions persisted. New religious movement, Jains and Buddhists rebelled against it. As time went on, indeed, it become more complex and more

The economic history of ancient India is one of agricultural advance. The use of iron spread from Middle East from around 800 BCE, making farming more productive and populations grew. The iron-age farming gradually spread throughout the entire subcontinent. The spread of iron -age farming was crucial development in the history of ancient India as it led to the rebirth of urban civilization in the subcontinent. Cities grew up; trade expanded, metal currency appeared, and an alphabetical script came into use.

2.6 Need and importance for studying Agricultural Heritage

Our agriculture has lot of inherited sustainable practices passed from one generation to other generation. And also agriculture in India is not an occupation; it is a way of life for many Indian populations. Hence the present day generation should be aware about our ancient and traditional agricultural systems and practices. This will enable us to build the future research strategy also.

India has made tremendous progress in agriculture and its allied fields, but the emphasis on intensive use of inputs without considering their adverse impact of long term basis has created several problems related to sustainability of agriculture. Irrational use of chemical fertilizers, insecticides and exploration of natural resources is threatening the agro eco systems. Soil is getting impoverished, water and air getting polluted and there is an increasing erosion of plant and animal genetic resources. Therefore, attention in now shifting to sustainable form of agriculture.

The indigenous technical knowledge (ITK) provides insight into the sustainable agriculture, because these innovations have been carried on from one generation to another as a family technology. There are several examples of valuable traditional technologies in India but unfortunately these small local systems are dying out. It is imperative that we collect, document and analyze these technologies so that the scientific principle/basis behind them could be properly understood. Once this done, it will be easier for us to further refine and upgrade them by blending them with the modern scientific technology.

Write in brief about the Neolithic Agricultural Revolution in Western India. Q. 7

Ans:

Neolithic Agricultural Revolution in Western India: Western Asia (Israel, Jordan Iraq etc.) is considered to be the birth place of agricultural revolution, where wild ancestors of wheat and barley and domesticated animals like goat, sheep, pig and cattle are found. The period from 7500-6500 B.C. was in real sense the discovery of agriculture. Polished stone axe and sickle were used for the cultivation of crops like wheat, barley, rice, maize and millets. Domesticated horse and ass were used as draught and transport animals. Maize, Potato and Wheat, were domesticated in 4400, 3500, 3400 B.C., respectively.

The period from 300-1700 B.C. marked the spread of agricultural revolution to Egypt & subsequently to Indus valley. The scene of this revolution was in countries between rivers Niles and Gangas. Man invented plough to be used with the help of oxen. Stone implements were supplemented with copper and bronze. Mohenjodaro to Harrappa territory was the centre of agricultural revolution in Indus Valley. It was that Indus valley civilization that spread to Punjab, Haryana, Jammu and Uttar Pradesh, Rajasthan, Gujrat and Madhya Pradesh. Harappans raised bread wheat, barley, sesame, peas, melons, cotton,

rape and mustard. Cattle, buffalo, goat, sheep, camel, ass, dog, and cat have special mention in the list of domesticated animals. Harappans agriculture also spread to Andra Pradesh, Karnataka & adjoining areas.

About 1800-1600 B.C., Aryan migrated to India and overwhelmed the Harappans. Horses were the main domesticated animals beside cattle. Agriculture was very important profession during Vedic age (1500-1000 B.C.). Use of iron implements, particularly iron ploughs became prevalent. Besides barley, wheat, beans, sesame, millets and rice find frequent reference in Vedas written during the period.

Buddhist period (600 BC) marks the importance of trees. It can be called as period of Arboriculture (forestry) and Horticulture. During that period, Superintendents of Agriculture used to look after the agricultural progress. Two annual harvests-winter (wheat and barley) and summer (rice and millets) were common. Suitability of different lands to different crops was mentioned. Farming operations from ploughing to harvest of crops were systematically followed. Safflower, linseed and mustard were also under cultivation besides rice, wheat and millets. Irrigation from rivers, lakes and reservoirs was practiced and water rate was one-fifth of the produce.

Q.8 Write in brief about the Neolithic Agricultural Development in South India.

Ans: | Agricultural Development in South India:

During the first century of Christian era and 300 A.D., the most important development in agriculture was irrigated cultivation of rice in South India. Cauvery river was the most important source of irrigation water. Cultivation of rice, finger millet, sugarcane, pepper and turmeric was quite common. After 300 A.D., Gupta period contributed significantly to the progress of agriculture. Amarkosha written during the period of Chandragupta II contains information on soil, irrigation, implements, classification of soils and land use and use of manures. Rice transplantation was practiced. Crops such as wheat, barley, rice, peas, pulses, spices, vegetables (onion, gourd, cucumber, pumpkin), sugarcane, cotton, pepper, cardamom, mustard, cloves, ginger, turmeric, beetlenut, tamarind, sesame, linseed, indigo etc. were grown. Mango, jack, plantain and coconut were most common. During Kanuj empire to Harsha (606-647 A.D.), a rice variety of large grains with extra ordinary fragrance called rice of grandees was grown in Magadha. Pomegranates and sweet oranges were grown every where. History of Agriculture from ninth to eleventh century is evident from Krishi Parashara written by Parashara (950-1150 A.D.). It explained the existing classification of land use, manuring, crop rotation, irrigation, tillage, implements, crop protection and agricultural meteorology. Anantaraja sagar (Porumamilla tank) in Cuddapah district of A.P. was built in 1367 by Vijaynagar King. In 1521 Krishnadevaraya did lot of work to improve irrigation to dry lands about Vijaynagar. He constructed the dam and channel of Korragal and the Basavanna channel both which are still in use and of great value to country. Rice, wheat, sorghum, barley, beans, greengram, horsegram etc. were grown in the area. During the same period (1336-1646 A.D.), Bahamanis constructed several canals such as Utpalpur, Nandashaila, Bijbhira etc. Babur laid the foundation of mughal dynasty in India. Except for gardens and flowers and provision of irrigation facilities particularly in South India, there was nothing special about agricultural development. The quest for spices resulted in introduction of new world plants to India by Portuguese during 1498-1580. Groundnut, tobacco, potato, cashew, guava, pineapple, chillies etc. were introduced. Much progress was not there during sixteenth and seventeenth centuries. However, Shahjahan restored the West Jammu canal which had been dug by Shah. Eastern Jammu canal was probably constructed during Mohammed Shah period. As regard the peasantry during Mughal period it was in most

	ziziya) extracted c						
Q.9	stretched condition. They became disinterested in cultivation because of large sum (text) Define the crop and give the classification of crops on the large.						
Ans:	Crop A long and give the classification of form many areas.						
	Classification and economic important if cultivated in the basis of life cycle.						
	1. Seasonal crops: crop which complete its life in one season. ie. Kharif, rabi, summer 2. Two seasonal: crop which complete its life in Oat, Chickpea, Groundnut Etc.						
	eg. Kice. Pearl mill						
	eg. Rice, Pearl millet, Maize, Sorghum, Wheat, Oat, Chickpea, Groundnut Etc Long staple cotton						
	2. Two seasonal: crop which complete its life in two seasons eg. Turmeric, Ginger, 3. Annual crop: crop which 3. Annual crop: crop which						
	3. Annual crop: crop which requires one full year to complete its life cycle eg. 4. Biennial crop: annual cr						
	Sugarcane Sugarcane full year to complete its life cycle eg						
	The state of the s						
	vegetative growth in the first way.						
	The Danglie Panava Lite						
	5. Perennial crop: Crop which lives for						
- 11	5. Perennial crop: Crop which lives for several years eg. Mango, Guava, Orange, Grape						
Q.10	Write short notes on (Any two).						
	2) Physical W1:						
	c) Water resources of India b) Soil types of India						
Ans:	a) Physical Weathering: Disintegration of						
	 a) Physical Weathering: Disintegration of rocks and minerals brought by mechanical action of factors (1) Temperature (2) Running water (3) Waves / Wind (4) Glaciers 1) Temperature: Rocks get heated at day time due to the control of the						
	1) Temperature: Rocks get heated at day time due to gur based (4) Glaciers						
	night when the temperature fails, rocks get cooled. On cooling it contracts. Thus alternate						
	The state of the s						
	orb proces, then to small the finally in the small particles in cold alimete week						
	and crevices of cracks freezes during winter water as solidifies increase in crease in						
	about 9 per cent and apply a tremendous pressure then rock splits and disintegration of						
	rocks and minerals takes place.						
	2) Running water: Water act both mechanical and chemical on rocks. Water is the most						
	potent agent in weathering of rocks. Mechanically when the water flows rover ground in						
	the form of streams and rivers it act as an erosive agent as well as the transformation of						
ri , 1933	eroded materials. The pieces of rocks in suspension exert a grinding action, the grinding action of flowing water, depends upon to aspects.						
	i) Speed with which if flows						
	ii) Amount of material it carries in suspension.						
	3) Waves/Wind: Due to continuous action of the waves the rocks on the sea shore get						
	broken into pieces. These broken pieces of rocks are lifted by waves and dashed against						
	the rocks themselves, by this is broken in to small pieces wind carries dust, gravels and						
	grinds away the surface of rocks.						
	4) Glaciers: When the ice blocks are formed in cold and mountainous region on slope						
	and hills side, it began to move. Such black of ice in motion is known as "Glaciers". They						
	are very huge and varying in size from a few 100 feet to several 1000 feet in thickness and						
	varies from a mile to 50 miles in length.						
	b) Soil types of India: The soils of India are classified into six broad groups which						
	b) Soil types of India: The soils of India are classified into six broad groups which						
	are as follows:						
	are as follows: 1) Alluvial Soils 2) Red Soils 3) Black Soils 6) Forest and Mountain Soils 5) Lateritie soils 6) Forest and Mountain Soils						
	are as follows: 1) Alluvial Soils 2) Red Soils 3) Black Soils 6) Forest and Mountain Soils						
	are as follows: 1) Alluvial Soils 2) Red Soils 3) Black Soils						

· These soils are suitable for all types of cereals, pulses, oilseeds, cotton, sugarcane vegetable and jute.

Distribution: These soils cover large parts of Rajasthan, Punjab, Uttar Pradesh, Bihar,

West Bengal, Gujarat and some parts of Assam and Orissa.

- 2) Red Soils: These soils includes the red loam and red sandy soils.
- They occupy an area of 61 m. ha. accounting for about 18.6 % of the total area.
- These soils are suitable for crops like rice, ragi, tobacco, groundnut, sugarcane etc.

Distribution: Such soils are found in whole of Madras and Karnataka, part of Utara Pradesh, Madhya Pradesh, Bihar, Uttar Pradesh (Bunded Khand) and West Bengal (Birbhumi) and Rajasthan.

- 3) Black Soils: These soils includes shallow, medium and deep black soils.
- ♦ They occupy an area of 49.8 m ha. accounting for about 15.2 % of the total land area.
- * These soils are suitable for crops like cotton, cereals, oilseeds (Linseed, sunflower etc.), vegetables, citrus fruits, sugarcane tobacco etc.

Distribution: The black soils are found in parts of Maharashtra, Gujarat, Madhya Pradesh, Andhra Pradesh, Karnataka and Tamil Nadu.

- 4) Desert Soils: These soils includes the regosols and lithosols.
- They occupy about 14.6 m ha of the total area.
- ◆ These soils are suitable for millet crops like jowar, bajra etc. for want of water.

Distribution: Desert soils are found in Rajasthan, South Punjab and in the rann of Kutch.

- 5) Lateritic soils: These soils occupy about 12.2 m. ha i.e. 3.7 % of the total area.
- * These soils are suitable for crops like ragi, sugarcane, tapioca etc.

Distribution: Found in Maharashtra, Karnataka, Madhya Pradesh, Orissa and Uttar

- 6) Forest and Mountain Soils: These soils occupy an area of 11.7 m ha of the total area
- These soils area suitable for crops like tea, coffee, species, tropical fruits, maize,

Distribution: These soils are found in the Himalayan and other ranges of North and Hill slopes in Western and Eastern Ghats.

- c) Water resources of India: Water is an important natural resource. It is vital for increasing the agricultural production. India is rich in water resource an endowed with a net work of great river and vest alluvial basins to hold ground water. Different sources of water available in India are:
- i) Rainfall: On an average India receives 119 cm. of rainfall annually. About 80 % of the rainfall India comes during the period of June to October. The total rainfall on the Indian territory is estimated to be 400 million ha, meters.
- ii) Surface flow: The surface water resources contribute to the ground water recharge. The rivers carry runoff. The total surface water resources in India are estimated at 16.7 crores ha. meter, out of which 6.6 crores are available for irrigation.
- iii) Ground water resources: It is estimated that about 43 million ha. meter per year ground water is available in India, out of which, 16 million ha. meter are available for irrigation and 7 million ha. meter for drinking purpose.

Table 2: Annual water resources of India 1974 & 2025

io.	Particulars	Years (mi. ha. meters)
	1 Total precipitation	2025
a	Immediate Evaporation 40	400
b.	Run-off to surface water bodies 70	70

,	c. Percolation in soil d. Water utilization of which i) Ground water contributes ii) Surface flows	215 38 13	105 35
Q.11	State True or False	25	70
	1. True		
	2. True		
97	3. True		
	4. False		
Q.12	Give the Full form of following.		
Ans:	1. IARI: Indian Agricultural Research	Institute	
	2. ICRISAT: International Crop Resear		i Arid Tropics
	3. SBI: Sugarcane Breeding Institute		
	4. IRRI: International Rice Research I	nstitute	